

INDEX

A

- AC motor 251
active attitudes 015
actual unit 350
adjacent buildings and other objects 168,175
advanced combined treatment septic tank 331
advanced wastewater treatment technology 324,331
air change rate ... 041,048,063,064,156
air conditioner ... 209,217,219,228,230
air leakage 156
air space 154,184
air supply opening 260
air vent 256,259
airflow 052
airflow blocking 137
airflow inside the envelope 137
airflow rate measurement 260
airtight shutter 259
airtight tape 148
amahaji (semi-outdoor space with a deep overhang) 030,080,186
amount of wasted water 286
annual heating load 101
annual mean global solar radiation ... 085
annual performance factor of hot water supply (APF) 277,279
annual power generation 085
antagonistic action 025
antifreeze solution 119
antifreezing 107
appropriate lighting for appropriate place 288
appropriate lighting for appropriate time 288
aquatic environmental protection 331
architectural ingenuity 015
architectural technique 020
area without public sewage system 334
artificial climate chamber 350
artificial environmental technology ... 012
assisting residential solar generation installation 089
attic ventilation 136,202
auxiliary heat source 103,111,113,115,117
auxiliary heater 215,243
awning 074,199

B

- balanced flue water heater 274
balanced ventilation 245,246
ball tap 112
bamboo blind 074,199
barrier-free design features regarding the thermal environment 241
basic items to be considered 034
batt insulation 134
bi-directional daylighting 067
blind shutter 054,199
blinds 074,197,199
block with decorative openings 030,077,179

- blower fan 254
blown-in insulation 134
blown-in insulation method (blowing method) 150
board insulation 134
boiling mode 266,280
branch duct 249
branched piping system 283
bu er space 097
building conditions 343
building coverage ratio of adjacent area 027,045
building density 026,027,044
building envelope 124

C

- ceiling fan 213,233
ceiling insulation 149
ceiling surface temperature 183
ceiling with suspended joists 150
central heating and cooling 217,223,228,241
circulating pump 115
cloth drying area 030
CO₂ emissions 008,012,352
coe cient for calculating CO₂ emissions 353
cold draft 235,240
cold storage 047,098
combined e ective opening area 051,058
combined treatment septic tank 331
combined treatment septic tank for nitrogen removal 331
comfort 227
comfortable 015
compact fluorescent lamp 295
component planning 035
composting 333
concrete envelope 170,181
constant airflow mode 253
construction 017
consumer electronics energy reduction rate 315
continuous ventilation 244
convection heating (heating and cooling) 228
conventional consumer electronics ... 312
conventional timber frame house 129
Cool Earth 50 (Beautiful Star 50) ... 013
cooling capacity 208,211
cooling energy 024
cooling energy reduction rate 041,064,167,190,209,217
cooling system 208

- COP 209,211,213,230,232,241
correcting required illuminance 293
cost 372,375,382
cost evaluation 036,354
covering 154
CP (crime prevention) sticker 061
cross ventilation quality 052
cross ventilation route 050
curtain 054,075,200

D

- daylight guiding method 066,079
daylight utilization 066
daylight utilization methods 068

- daylighting method 066,072
daytime lighting 066,078
DC motor 251
deciduous trees 205
deck 032
Declaration of the United Nations Conference on the Human Environment (Stockholm Declaration) 013
dedicated material 137
dehumidification 213,232
design calculation example 370,373,380
design example 030,032
design flow 020,021
design model 020
design procedures 020
design requirements 026
detached house 008
di use solar radiation 164
digital thermometer 063
dimming 300
dimming control 293
direct heat collection 106,118
direct horizontal illuminance diagram 292
direct solar radiation 164
direction of opening 093,190
discharge coe cient 051,054
disposer wastewater treatment system 334
distributed multiple lighting system 289,304
domestic hot water capacity 269
domestic hot water energy 025
domestic hot water energy reduction rate 104,265
domestic hot water piping system ... 283
domestic hot water supply mode 272
domestic hot water system 264
domestic hot water system planning method 266
domestic hot water temperature 117
door stopper 056
double glazing 154
(drainage) piping slope 334
drainage water 274
dried wood 136
duct 241
duct diameter 249
duct placement 249
duct ventilation system 244,245,247,249
durability 034

E

- early planning and design stage 035
Eco Cute 275
Eco Feel 275
Eco Jozu 274
e ective opening area 051,054
e ective thickness 098
e ective use of water 322
e ciency of water heater 271
e cient kitchen waste treatment technology 324,332
electric fan 065,214,233
electric floor heating 239
electric heater 222
electric hot water pot 312,318

<p>electric utility company 352</p> <p>electric water heater 270,277</p> <p>electric water heater with a natural refrigerant heat pump 266,271,275</p> <p>electricity cost 359</p> <p>electricity price 320</p> <p>elemental technologies 008,020,022,338</p> <p>Energy Conservation Law 013</p> <p>energy conservation standard 008,128,191,384</p> <p>energy conservation target level 037</p> <p>energy consumption 008,012</p> <p>energy consumption efficiency (COP) 209,219,230,278</p> <p>energy consumption estimation 367</p> <p>energy consumption ratio 340</p> <p>energy efficiency 036,352,354</p> <p>energy reduction effect 340</p> <p>energy saving effect 037</p> <p>energy saving grading 128</p> <p>energy-efficient consumer electronics 312</p> <p>energy-efficient equipment technology 021,022,207</p> <p>environmental quality 015</p> <p>equipment technology 008,028</p> <p>evenly distributed insulation type 133,155,161</p> <p>exhaust-only ventilation 245,246,247,262</p> <p>exposure factor 168,175</p> <p>exterior insulation 132,148,163</p> <p>exterior wall 186,204</p> <p>exterior wall insulation 148</p> <p>external solar shading component 180,199</p> <p>F</p> <p>family room 032</p> <p>fan 248</p> <p>fan unit 255</p> <p>feasibility study 021,036</p> <p>field of air environment 020</p> <p>field of light environment 020</p> <p>field of thermal environment 020</p> <p>field study 350</p> <p>filter 212,242,258</p> <p>flat plate type 106,121</p> <p>floor air vent 147</p> <p>floor heating 221,235</p> <p>floor insulation 146</p> <p>floor planning 035</p> <p>fluorocarbon refrigerant 275</p> <p>flush water 323</p> <p>foamed-in-place insulation 134</p> <p>foot-controlled water shut off 286</p> <p>forced circulation type 106,118</p> <p>forced flue (FF) heating 217,222,228,240</p> <p>foundation insulation 147,162</p> <p>frame 096,153</p> <p>frame 198</p> <p>function of water heater 270</p> <p>G</p> <p>gas cost 359</p> <p>general consumer electronics 311</p> <p>gigajoule (GJ) 014,352</p>	<p>given condition 339,343</p> <p>glazing 096,153,191,193,198</p> <p>global environmental issue 012</p> <p>global solar radiation level 127,165,189</p> <p>global warming 012</p> <p>global warming impact 036,352,354</p> <p>green roof 185</p> <p>greenhouse gas 012</p> <p>grid-connected power system 084</p> <p>H</p> <p>header-conduit piping with sleeve tube 283</p> <p>heat balance 090</p> <p>heat capacity 098</p> <p>heat collection 090,097</p> <p>heat collection area 104,108</p> <p>heat collection section 104,106,108,120</p> <p>heat collection system 106</p> <p>heat control technology of building envelope 021,022,123</p> <p>heat exchange type 245</p> <p>heat exhaust 040</p> <p>heat gain 090</p> <p>heat loss 090</p> <p>heat loss coefficient 128</p> <p>heat pump device 264</p> <p>heat radiation panel 237</p> <p>heat shielding double glazing 193</p> <p>heat shielding paint 187,204</p> <p>heat source equipment efficiency 236</p> <p>heat source of domestic hot water system 102,264</p> <p>heat storage 047,090,098</p> <p>heat storage component 047,098</p> <p>heat storage effects 099</p> <p>heat storage system 099</p> <p>heat transmission coefficient 096,133,153</p> <p>heated room 226,130</p> <p>heating and cooling capacity 230</p> <p>heating and cooling cost 130</p> <p>heating and cooling system 216</p> <p>heating capacity 219,231</p> <p>heating cost 124</p> <p>heating degree day 091</p> <p>heating energy 024</p> <p>heating energy reduction rate 091,128,217</p> <p>heating load 225</p> <p>heavy wind and rain 034,061</p> <p>high windows 030,032,058</p> <p>high-efficiency consumer electronics 310</p> <p>high-efficiency water heater 271</p> <p>high-frequency fluorescent lamp 294</p> <p>hot humid region 008,016</p> <p>hot water consumption 268,273</p> <p>hot water consumption 282</p> <p>hot water discharge temperature 279</p> <p>hot water heated toilet seat 312,318</p> <p>(hot water) heat efficiency 274,277</p> <p>hot water heating 217,221,228,235</p> <p>hot water saving device 286</p> <p>hot water storage section 103,106,108,120</p> <p>hot water storage tank 269,276</p> <p>hot water storage type 269</p> <p>house renovation 008</p> <p>household energy consumption 013</p> <p>household sector 013</p> <p>Housing Performance Indication System 128</p> <p>housing type 029</p> <p>how to bathe 285</p> <p>I</p> <p>ignition 240</p> <p>illuminance distribution 071</p> <p>illuminance distribution diagram 291</p> <p>illuminance distribution diagram 298</p> <p>illuminance sensor 300,302</p> <p>in-between seasons 040,164,188</p> <p>indirect heat collection 106,119</p> <p>indoor air pollutant 222</p> <p>indoor air terminal device 247</p> <p>indoor relative humidity 230</p> <p>infiltration rate 330</p> <p>initial cost ... 088,102,131,294,320,353</p> <p>inlet velocity 052</p> <p>insect screen 258</p> <p>Inspirer 351</p> <p>instant hot water storage type 270</p> <p>instant type 269</p> <p>insulated building envelope planning 124</p> <p>insulated component 132</p> <p>insulating sash 154</p> <p>insulating shutter 154</p> <p>insulation above beams 151,162</p> <p>insulation deficiency 146</p> <p>insulation level 093,226,231,241</p> <p>insulation material 134</p> <p>insulation method 132</p> <p>insulation specification 156</p> <p>integrated type 106,119</p> <p>interaction of elemental technologies 025</p> <p>Intergovernmental Panel on Climate Change (IPCC) 013</p> <p>interior insulation 132</p> <p>intermittent operation 212,231,240</p> <p>internal condensation 136</p> <p>internal heat generation 125,208,210</p> <p>internal solar shading component ... 200</p> <p>J</p> <p>Japanese style wall 140,142,145</p> <p>JIS indicated value of annual electricity consumption 316</p> <p>K</p> <p>kerosene cost 359</p> <p>k-factor method 261</p> <p>kitchen waste disposer 333</p> <p>kitchen waste recycling and reduction 324</p> <p>Kyoto Protocol 012,013,352</p> <p>L</p> <p>landscape planning 052</p> <p>late-night power 269</p> <p>latent heat recovery device 264</p> <p>latent heat recovery gas water heater 271,274</p> <p>latent heat recovery oil water heater</p>
--	---

.....	275
lattice doors	056
layout planning	035
lean-to roof	152
LED	296
Legionella	329
level of dedication to indoor environment	028
level of dedication to natural living	028
life cycle carbon dioxide (LCCO ₂)	310
life cycle cost (LCC)	310
lifestyle	028,130
lifestyle in Okinawa	015
light color	293
light distribution	294,297
light distribution curve	298
light duct system	083
light environment	068,075
light flux	294
light shelf	082
light source	294
light well	080
lighting energy	025
lighting energy reduction rate	066,289
lighting system	288
living conditions	343
load factor	211,213,230,232
local ventilation	244,245,257,259
location, site	026,044,057,067,092,168
louver	074,082,180,199
low energy housing with validated effectiveness (LEHVE)	008,012,015
low load	231
low-E double glazing	154,193,198
 M	
M value	167,171,172,211
machine-oriented lifestyle	028
main duct	249
maintenance	257,261,293
market price of air conditioner	358
mean radiant temperature	126
mechanical technique	020
metal frame with thermal break	154
method	022
methods for utilizing solar radiation heat	093
model house plan	343
moisture control	148,149
mono-directional daylighting	067
motion sensor	300,302
MRT (mean radiant temperature)	227
mud-plastered wall	099,129,143,145,159
multi-family residential building	008
 N	
natural circulation type	106,118
natural energy	008
natural energy application	015
natural energy application technology	021,022,039
natural room temperature	125
nature-oriented lifestyle	028
night ventilation	047
nocturnal radiation	183
 O	
obstruction of sunlight	027,092
on/o controlled lighting	293
one-light-per-room lighting system	289,304
open layout	030,032
openable window with nighttime security	060
opening area	050,053,058,093,097,190
opening coverings	054
openings	096,153,190,197
openings in partition walls	055
OT (operative temperature)	227
outdoor unit	212,234
Outline for Promotion Effects to Prevent Global Warming	013
output	211
outside air temperature thermometer	063
outside air terminal	255
outside noise	062
outside shading device	169,177
outside wind direction	026,042
outside wind speed	026,048
overall ventilation	245,257
overdrying	242
overhang	030,032,074,076,080,169,177
overhangs, etc.	191,201
 P	
panel heating	221
paper sliding door	075,200
partial intermittent heating	124,128
partial intermittent heating and cooling	131,367
partial intermittent system	216
partially reinforced insulation type	133,155,156
partition wall	144
passive solar	090
passive solar zone classification (PSP classification)	026,091,386
Passwork	351
photovoltaic panel	086
photovoltaic power generation	084
physiological stress	015,028
piping insulation	237
piping length	237
piping route	283
planned airflow rate	260
pleasant environment	015
possibility of natural energy utilization	026
potential of nature, natural potential	008,026
power generation efficiency	087
pressure difference across the fan unit	248,254
pressure loss	249
prevailing wind direction	040,057
prevention of reflected heat	205
primary energy	352,366
primary energy consumption	014,037
primary energy conversion value	352
prime consumer electronics	312
priority consumer electronics	312
priority of applying elemental technologies	084
 R	
radiant heating	221,228
radiation emissivity	184
rain gutter	328
rainwater and wastewater reuse	323,328
rainwater seepage pit	324,330
rainwater storage tank	328
rainwater treatment	324
rate of floor heating area	237
rated capacity	064
rated COP	064
rated efficiency	219,222,238
reference energy consumption	339
reflectance	080,082,166,170,181,184,202,204
reflector lamp	294
refrigerant pipe	241
refrigerator	312,316,319
reinforced concrete house	008
relatively mild region	008
remaining hot water	280
Research Project on Low Energy Housing with Validated Effectiveness	013
roof	127,182,202
roof insulation	151,203
roof pitch	059,086
running cost	102,130,294,320,353
 S	
salt damage	034,212,267
screen	074,199
sealed batt insulation	146
second floor living room	032
secondary energy	366
sectional planning	035
security	053,060
separate type	106,119
set cooling temperature	064
set temperature	209,212,225
shading coefficient	177,191,193
sheet material	137
showerhead with shut-off mechanism	286,327
side wall	054,061
side windows	072
SimHeat	351
simple payback time	353
simulation	351
single lever mixer faucet	286
site conditions	012,175,267
skylight	032,059
slab on grade floor	099
slab on grade insulation	148
sleeve	234
sliding door	032,055
small floor-level window	053
SMASH	351
solar altitude	070,165,188,201
solar cell	084
solar connection unit	103,111,114,117
Solar Designer	100
solar heat gain	125
solar heat gain coefficient	190

<p>solar penetration rate 166,189,190,193,194</p> <p>solar radiation heat utilization 090</p> <p>solar radiation level 026</p> <p>solar radiation on the roof 175</p> <p>solar shading component 191,193,194,199</p> <p>solar shading device 074</p> <p>solar shading method 164,188,241</p> <p>solar system 103,107,271</p> <p>solar transmittance 096</p> <p>solar water heater 103,107,271</p> <p>solar water heating 102</p> <p>solar water heating device 106</p> <p>solar water heating method 104</p> <p>sound insulation performance 062</p> <p>space between buildings 071</p> <p>specific fan power 251,263</p> <p>specific leakage area 242</p> <p>spot garden 030</p> <p>spreading block 183</p> <p>standby power consumption 314</p> <p>sticker 137</p> <p>stored hot water heat quantity 279</p> <p>stored hot water temperature 279</p> <p>structure of housing 017</p> <p>stud wall 138,142,145</p> <p>subtropical marine climate 016</p> <p>suburban location 026,029</p> <p>summer night 040</p> <p>summer solar gain coefficient 167</p> <p>sun control 066</p> <p>sun control device 074</p> <p>sun shadow chart 092</p> <p>sun shadow diagram 070,092</p> <p>sunlight utilization efficiency 086</p> <p>sunshine hours 071,087,092</p> <p>supply water temperature 237</p> <p>supply-only ventilation 245,246</p> <p>surface temperature 126,227</p> <p>surrounding conditions of the building site 026</p> <p>switch 293</p> <p>switch-on ratio 309</p> <p>synergic action 025</p> <p>T</p> <p>target design model 029</p> <p>television 312,317</p> <p>temperature around the feet 126</p> <p>temperature control 241</p> <p>temperature difference 130</p> <p>temperature irregularity 126,130</p> <p>termite 034</p> <p>terrace 032</p> <p>test building 350</p> <p>test house 350</p> <p>The Japanese Industrial Standards "Recommended Levels of Illumination" ... 291</p> <p>The Limits to Growth 013</p> <p>thermal conductivity 133,135</p> <p>thermal insulation of bathtub 284</p> <p>thermal insulation of piping 283</p> <p>thermal resistance 133,135</p> <p>thermal sensation 126,214,233</p> <p>thermostatic mixer faucet 286,326</p> <p>three-way valve 111,113</p> <p>through-the-wall ventilation fan 259</p> <p>through-the-wall ventilation system</p>	<p>..... 244,248,254</p> <p>timer control 300</p> <p>top side windows 059,073,080</p> <p>traditional construction method 008</p> <p>traditional nature-oriented lifestyle 028</p> <p>transom windows 056,079</p> <p>type of heating and cooling system 217,225,228</p> <p>type of toilet bowl 326</p> <p>type of ventilation system 246</p> <p>typhoon 016,034,061,116,212,259</p> <p>U</p> <p>underfloor insulation 238</p> <p>underfloor ventilation 146</p> <p>unheated room 130,226</p> <p>United Nations Framework Convention on Climate Change 013</p> <p>unpleasantness 015,028</p> <p>unvented heater 215,222,243</p> <p>upper floor room 127</p> <p>urban location 026</p> <p>urban location 029</p> <p>use and control of wind 040</p> <p>uses of energy 014,024</p> <p>UV light 034</p> <p>V</p> <p>vacuum tube type 106,121</p> <p>validation experiment 350</p> <p>vapor barrier 136</p> <p>vapor barrier film 136,137,146</p> <p>vapor permeable sheet 136</p> <p>ventilated cavity 136,148,151,166,170,181,183,203,204</p> <p>ventilating storm door 060</p> <p>ventilation energy reduction rate 245</p> <p>ventilation system 244</p> <p>VentSim 351</p> <p>vertical temperature gradient 126,229</p> <p>void space; vaulted ceiling 030,233</p> <p>volumetric specific heat 098</p> <p>W</p> <p>washing machine 312,318,327</p> <p>wastewater BOD treatment 324</p> <p>wastewater nitrogen treatment 324</p> <p>water lifting pump 328</p> <p>water saving device 323,326,335</p> <p>water saving plumbing parts 286</p> <p>water saving rate 323</p> <p>watering plant 323</p> <p>way of living 012,029</p> <p>weather barrier 136,148</p> <p>weather barrier material 136</p> <p>weather conditions 026</p> <p>weather data 044</p> <p>weather station 043</p> <p>whole-building continuous heating ... 128</p> <p>whole-building continuous heating and cooling 241,367</p> <p>whole-building continuous system ... 216</p> <p>wind pressure 044</p> <p>wind pressure coefficient 045,057</p> <p>wind rose 044</p> <p>wind speed 042</p> <p>wind utilization methods 047</p> <p>window screen 054</p> <p>wooden house 008</p>	<p>Z</p> <p>zone classification 384</p> <p>Zone IV 008</p> <p>Zone V 008,016</p> <p>Zone VI 008,016</p>
---	---	---

List of Authors

(Information below is as of November, 2009)

General editing	Main authors (Elemental technology)	Authors (Elemental technology)	Editing
Kiyonori Miisho, Shibaura Institute of Technology	Shigeki Nishizawa, National Institute for Land and Infrastructure Management (3.1)	Hiromi Habara, as previously mentioned (3.1)	Yasuhiro Okura, as previously mentioned
Yuzo Sakamoto, The University of Tokyo Graduate School	Takashi Kurabuchi, Tokyo University of Science (3.1)	Kenichi Miyajima AE-Solutions (3.1)	Katsumi Yamaguchi, as previously mentioned
Overall coordination	Yasuhiro Miki, National Institute for Land and Infrastructure Management (3.2, 5.5)	Yoshiki Nakamura, Tokyo Institute of Technology Graduate School (3.2)	Editing support/administration
Takao Sawachi, Building Research Institute	Yuji Hori, University of Toyama (3.3, 5.6)	Katsumi Yamaguchi, as previously mentioned (3.4)	Masatsugu Aoki, Institute for Building Environment and Energy Conservation
Basic editing	Yuichiro Kodama, Kobe Design University (3.4)	Masahiko Sunagawa, Sunagawa Arch. Env. Lab. Inc. (4.1)	Satoko Imai, Institute for Building Environment and Energy Conservation
Takayuki Akimoto, Shibaura Institute of Technology	Masayuki Mae, The University of Tokyo Graduate School (3.5, 5.4)	Yoshinori Honma, Morioka Junior College, Iwate Prefectural University (4.1, 4.2)	Editing support for English version
Tsukasa Iwata, Building Research Institute	Shizuo Iwamoto, Kanagawa University (3.5, 5.4)	Yukie Kitadani, Hokkaido Northern Regional Building Research Institute (4.2)	Michiko Kawanishi, RiverWest Translation Services Inc.
Kazuo Iwamura, Tokyo City University	Hirotaka Suzuki, Hokkaido Northern Regional Building Research Institute (4.1, 4.2)	Chiharu Kurayama, National Institute for Land and Infrastructure Management (4.3)	Editing support
Yasuo Kuwasawa, Building Research Institute	Takashi Inoue, Tokyo University of Science (4.3)	Hisashi Miura, as previously mentioned (5.1)	Mikio Ichikawa, Musashino Henshushitsu
Hiroaki Toyohara, Ministry of Land, Infrastructure, Transport and Tourism	Hiromi Habara, Hiroshima Institute of Technology (5.1)	Akinori Hosoi, Prefectural University of Kumamoto (5.1, 5.2)	Drawing support
	Hisashi Miura, National Institute for Land and Infrastructure Management (5.2)	Yasuo Kuwasawa, as previously mentioned (5.2)	Taiku Yamazaki, Yamazaki Kenchiku Laboratory
	Masaki Tajima, National Institute of Public Health (5.3)	Hiromi Habara, as previously mentioned (5.2)	Yasuhide Segawa, Archbishop
	Masayuki Otsuka, Kanto Gakuin University (5.7)	Shigeki Onishi, Mitsubishi Electric Corp. (5.3)	Design
	Toshihiro Sankai, Building Research Institute (5.7)	Hideharu Omoto, Panasonic Ecology Systems Co., Ltd. (5.3)	Koichi Yamada, Yamada Digitalized Graphic Works
	Main authors (Design evaluation procedure)	Sayaka Murata, Hokkaido Northern Regional Building Research Institute (5.3)	
	Kiyonori Miisho, as previously mentioned (1.1)	Yasuo Takahashi, Sankyo Tateyama Aluminium, Inc. (5.3)	
	Takao Sawachi, as previously mentioned (1.2, 1.3, 2.4, 6.2)	Susumu Matsushita, Susumu Matsushita Architecture & Lighting Design Labo. (5.5)	
	Yasuhiro Okura, Architectural Laboratory for Systems Environment Development (2.1, 2.3, 6.1)	Hideo Asada, Architec Consulting Inc. (5.5)	
	Katsumi Yamaguchi, Architectural Laboratory for Systems Environment Development (1.4, 2.2, 6.3)	Authors (Design evaluation procedure)	
		Takao Sawachi, as previously mentioned (6.1)	
		Katsumi Yamaguchi, as previously mentioned (6.1)	
		Masaaki Ukaji, Architec Consulting Inc. (6.2)	
		Yasukazu Kawaraguchi, Architec Consulting Inc. (6.2)	
		Yasuhiro Okura, as previously mentioned (6.3)	

Published in 2010 by Building Research Institute
Incorporated Administrative Agency, Japan
1, Tachihara, Tsukuba, Ibaraki, 305-0802 Japan
Tel: + 81-(0)298-64-2151

Copyright 2010 by the Building Research Institute, Japan
No part of this book may be reproduced by any means, or transmitted, or translated into
a machine language without the written permission of the publisher.

